





# **KEVIN PUGH, MD**

Orthopedic Surgeon



# **Total Hip Replacement**

If your hip has been damaged due to arthritis, a fracture or other conditions, common activities such as walking or getting in and out of a chair may be painful and difficult. Your hip may be stiff, and it may be hard to get dressed. You may even feel uncomfortable while resting.

### This safe and effective surgery can:

- Relieve pain
- Increase range of motion
- Help you resume normal activities

# You may be recommeded for total hip replacement surgery if you experience:

- Hip pain that limits everyday activities, such as walking and bending
- Hip pain while resting (day or night)
- Chronic hip inflammation (not improved by medications/rest)
- Stiffness in the hip limiting the ability to move/lift the leg
- Limited or no improvement from anti-inflammatory medications, physical therapy or walking supports.

Talk with your family, primary care physician and orthopedic surgeon to determine whether you should have total hip replacement surgery.

# After Surgery

### Pain Management

- Medications will be provided to help ease your pain and make you more comfortable
- Once your pain level ceases, you can begin moving around

Hip replacement surgery at PMC may not require physical therapy.

### At Home

### **Wound Care**

- Stitches/staples removed approx. two weeks after surgery
- Do not soak the wound in water until wound is completely sealed and dried
- Keep the wound bandaged to prevent irritation from the clothing/support hose

### **Activity**

- Exercise is critical during the first week after surgery
- You may resume normal activities within 3-6 weeks
- Pain during activity and at night is common for several weeks

# **Surgery Results**

Most people experience a significant reduction of hip pain and a dramatic improvement in performing daily living tasks. Surgeons don't recommend high-impact activities like running or jumping after surgery. Realistic activities following total hip replacement include walking, driving, swimming, biking, dancing and other low-impact sports. Following these activity guidelines can allow hip replacements to last for many years.

### After Surgery you may experience

- Numbness of skin around the incision
- Stiffness, especially during excessive bending

It is normal to experience these side effects after surgery.

# **Benefits of Surgery**

- Reduction or elimination of joint pain
- Improved quality of life
- Years of easier movement



# ANBU K. NADAR, MD

Orthopedic Surgeon

Board Certified by the American Board of Orthopedic Surgery

# SPECIALIZING IN: Knee Arthroscopy Joint Pain Total Hip Replacement Total Knee Replacement Partial Hip Replacement Partial Knee Replacement Fracture Care



# The complication rate is low after total hip replacement surgery

- Hip joint infections occur in fewer than 2% of patients
- More serious complications have an even lower occurance rate
- Chronic illnesses may increase the possibility of complication

### Infection

Minor wound infections are treated with antibiotics, while major infections may require additional surgery or complete removal of the prosthetic. Any infection in you body can spread to the joint replacement. Infection may occur in the wound, deep around the prosthetic, even years after surgery.

### After Surgery you may experience

- Continuous fever (>100 degrees Fahrenheit)
- Shaking chills
- Increased redness, tenderness or swelling of the hip
- Hip wound drainage
- Increased hip pain during activity/rest



# Are you a candidate for Surgery?

## To determine if total hip replacement surgery is right for you, your physician will:

- Gather your medical history
- Complete a physical examination to asses motion, stability, strength and alignment
- Order x-rays to determine the amount of damage

### **Surgery Day**

- You will register and be admitted to the hospital
- Surgery usually takes a few hours
- The hip's damaged cartilage and bone will be removed and a new plastic, metal or ceramic implant will be positioned into place
- You will be monitored for several hours during your recovery from anesthesia
- Once you wake up, you will be taken to your hospital room

Some patients may be eligible for outpatient surgery, meaning he or she will be discharged to go home at the end of the day.

# Our Awards and Accreditations of Excellence







# ORTHOPEDIC SURGERY & SPORTS MEDICINE INSTITUTE SERVICES

ACL Repairs Sports Injuries

Amputations Sports Physicals and Clearance to Play

Arthritic Conditions Tennis Elbow

Arthritis Total Hip Replacement

Carpal Tunnel Surgeries Total Knee Replacement

Carpal Tunnel Syndrome Traumatic Injuries

Concussion Management Treatment of Arthritis and Chronic

Congenital Problems
Overuse Syndromes
(Syndactyly/Polydactyly)
Treatment of Fractures

de Quervain's Tenosynovitis

Trigger Thumb or Finger

Developmental & Post-Traumatic Limb Deformity

Dupuytren's Contracture

**Evaluation and Correction of Limb Length Discrepancy** 

Ganglion Cysts/Tumors

**Hand Surgery** 

Hip/Knee Revision Surgery

Joint Pain

Knee Arthroscopy

Knocked Knee and Bow-Leg Deformities

MRI Custom Fit Total Knee Replacement

Muscle Sparing Direct Anterior Total Hip Replacement

Nail & Fingertip Injuries

Orthopedic trauma

Other Routine Orthopedic Pathology

Post-Traumatic Complications

Rotator Cuff Repair

Shoulder Arthroscopy



